

The **dd** is a command which stands for “data duplicator”. This command is used for copying and converting data. The **dd** command simply copies standard input to standard output, read in 512-byte blocks. You can use the **dd** command to back up the entire hard disk or partition. Using the **dd** command you can also backup the MBR.

Go through this tutorial and understand the uses of **dd** command.

#1 – Create Backup of Existing Partition

The following command will create a backup of the entire partition **/dev/sdb1** and write to **/backup/sdb1.img** file.

```
dd if=/dev/sdb1 of=/backup/sdb1.img
```

Sample Output

```
16064937+0 records in 16064937+0 records out 8225247744 bytes (8.2 GB) copied, 123.319 s, 66.7 MB/s
```

#2 – Restore Backup to Other Partition

Now restore the data to another empty partition **/dev/sdb2**. Execute the below command to do the restoration.

```
dd if=/backup/sdb1.img of=/dev/sdb2
```

Sample Output

```
16064937+0 records in 16064937+0 records out 8225247744 bytes (8.2 GB) copied, 197.688 s, 41.6 MB/s
```

You can see the content on the new disk **/dev/sdb2**. This will look like a replica of **/dev/sdb1**.

#3 – Create Duplicate Partition with Existing

How to Backup and Clone Disk Partitions using dd Command in Linux

Written by BiRU

Saturday, 04 November 2023 11:02 -

You can directly create a duplicate partition using the existing partition. Use the following command to replicate the partition **/dev/sdb1** to **/dev/sdb2** without creating any backup file.

```
dd if=/dev/sdb1 of=/dev/sdb2
```

Sample Output

```
16064937+0 records in 16064937+0 records out 8225247744 bytes (8.2 GB) copied, 221.431 s, 37.1 MB/s
```

#4 – Clone the Existing Hard Drive

In the above steps, you learned how to copy the entire partition. Now I have to copy the entire hard drive **/dev/sda** with two partitions to another hard drive **/dev/sdb**. First, use the below command to copy the first 446 bytes. Which will copy the MBR from the first disk to the second. This will create the second disk bootable as well.

```
dd if=/dev/sda of=/dev/sdb bs=446 count=1 1+0 records in 1+0 records out 446 bytes (446 B) copied, 0.00174812 s, 255 kB/s
```

Now make sure the partitions on **/dev/sdb** match with **/dev/sda**. Once this is done, you can copy each partition one by one to new hard drive:

```
dd if=/dev/sda1 of=/dev/sdb1 dd if=/dev/sda2 of=/dev/sdb2
```

#5 – Backup and Restore MBR to Image File

Let's create the backup of MBR to an image file. Execute below command to backup MBR of **/dev/sda** drive to the **/backup/backup-mbr-sda.img** file.

```
dd if=/dev/sda of=/backup/backup-mbr-sda.img bs=512 count=1
```

Sample output

```
1+0 records in 1+0 records out 512 bytes (512 B) copied, 0.0115243 s, 44.4 kB/s
```

The next step is to restore MBR to another disk. Use the following command to do it.

```
dd if=/backup/backup-mbr-sda.img of=/dev/sdb bs=446 count=1
```